

Contact: \_\_\_\_\_

Date: \_\_\_\_\_

Company: \_\_\_\_\_

Phone: \_\_\_\_\_

Address: \_\_\_\_\_

Fax: \_\_\_\_\_

Email: \_\_\_\_\_


Quantity: \_\_\_\_\_

Mfr. Part Number, (ref): \_\_\_\_\_

Describe Coupling Application: \_\_\_\_\_

Other Considerations:(internal pressure, elevated temperature, vibration, etc.)

### Flange Configuration: (Please fill in all dimensions)




- A- FLANGE SHOULDER O.D. \_\_\_\_\_
- B- FLANGE O.D. \_\_\_\_\_
- C- TOTAL FLANGE APEX \_\_\_\_\_  
(With compressed gasket if used)
- D- FLANGE ANGLE \_\_\_\_\_

### Retainer Profile:

(Clampco will help you fill in these dimensions)

Series: \_\_\_\_\_



- E- RETAINER APEX \_\_\_\_\_
- F- RETAINER DEPTH \_\_\_\_\_
- G- RETAINER FOOT WIDTH \_\_\_\_\_
- H- RETAINER MATERIAL THICKNESS \_\_\_\_\_
- J- RETAINER ANGLE \_\_\_\_\_
- K- BAND THICKNESS \_\_\_\_\_
- L- BAND WIDTH \_\_\_\_\_
- M- COUPLING DIAMETER \_\_\_\_\_  
(Flange diameter plus (2x) air gap)